



Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-94

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator's US EPA ID No. <b>WAD980738546</b>		Manifest Document No. <b>85147</b>		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address <b>ALASKAN COPPER WORKS 3200 6TH AVE. SEATTLE, WA. 98134</b>						A. State Manifest Document Number			
4. Generator's Phone ( <b>206</b> ) <b>623-5800</b>						B. State Generator's ID			
5. Transporter 1 Company Name <b>SAFETY-KLEEN CORP.</b>				6. US EPA ID Number <b>WAD 000712042</b>		C. State Transporter's ID			
7. Transporter 2 Company Name				8. US EPA ID Number		D. Transporter's Phone <b>206 775-7030</b>			
9. Designated Facility Name and Site Address <b>SAFETY-KLEEN CORP. 6303 212TH ST SW SUITE C LYNNWOOD WA 98036</b>						E. State Transporter's ID			
10. US EPA ID Number <b>7-092-01</b>						F. Transporter's Phone			
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)						12. Containers		13. Total Quantity	
a. <b>WASTE COMBUSTIBLE LIQUID, N.D.S. (PETROLEUM NAPHTHA) NA1993 PGIII (D001) (ERG#27) 6.7 LBS./GAL</b>						No. <b>1</b> Type <b>DM</b>		14. Unit Wt/Vol <b>9</b>	
b.								15. Waste No. <b>D001</b>	
c.									
d.									
J. Additional Descriptions for Materials Listed Above <b>(A) D018</b>						K. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information <b>EMERGENCY RESP#708-888-4660 24HR. 7-092-01-4131 PP#-M85147</b> <b>IF UNDELIVERABLE, RETURN TO GENERATOR</b> <b>SKDOTN A: 501 B: C: D:</b>									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name <b>Gerard A. Thompson</b>				Signature 		Date Month <b>9</b> Day <b>25</b> Year <b>93</b>			
17. Transporter 1 Acknowledgement of Receipt of Materials				Printed/Typed Name <b>DAVID H. BLACKHAM</b>		Signature <b>David H. Blackham</b>		Date Month <b>9</b> Day <b>23</b> Year <b>93</b>	
18. Transporter 2 Acknowledgement of Receipt of Materials				Printed/Typed Name		Signature		Date Month Day Year	
19. Discrepancy Indication Space									
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.									
Printed/Typed Name <b>KATHY SCHMID</b>				Signature 		Date Month <b>9</b> Day <b>23</b> Year <b>93</b>			

EPA Form 8700-22 (Rev. 9-88) previous editions obsolete

6P00189

ORIGINAL-RETURN TO GENERATOR

RECEIVED  
SEP 29 1993SAFETY-KLEEN CORP.  
90290

6

AKC-0018344

Public reporting burden for this collection of information is estimated to average .37 minutes for generators, 15 minutes for transporters, and 10 minutes for disposal facilities. This includes time for reviewing instructions, gathering data, and completing and reviewing the form. Send comments regarding the burden estimate, including suggestions for reducing this burden, to: Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 401 M Street, SW, Washington, DC 20460; and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

INSTRUCTIONS FOR COMPLETION OF THIS FORM, REFER CODE OF FEDERAL REGULATIONS, 40, PART 262.20.

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-94

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator's US EPA ID No. WAD 980728546		Manifest Document No. 85147		2. Page 1 of		Information in the shaded areas is not required by Federal law.					
3. Generator's Name and Mailing Address ALASKAN COPPER WORKS 3200 6TH AVE. SEATTLE, WA 98134						A. State Manifest Document Number							
4. Generator's Phone (206) 673-5800						B. State Generator's ID							
5. Transporter 1 Company Name SAFETY-KLEEN CORP.				6. US EPA ID Number WAD 000712042		C. State Transporter's ID							
7. Transporter 2 Company Name				8. US EPA ID Number		D. Transporter's Phone 206 775-7030							
9. Designated Facility Name and Site Address SAFETY-KLEEN CORP. 6303 212TH ST SW SUITE C LYNNWOOD WA 98036						10. US EPA ID Number 7-092-01 WAD 000712042		E. State Transporter's ID					
								F. Transporter's Phone					
								G. State Facility's ID					
								H. Facility's Phone 206 775-7030					
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)						12. Containers		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.	
a. HM WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PC111 (0001) (ERG 27) 6.7 LBS./GAL						No. Type 1 DM		9		G		0001 0004	
b.													
c.													
d.													
J. Additional Descriptions for Materials Listed Above (A) 0004						K. Handling Codes for Wastes Listed Above							
15. Special Handling Instructions and Additional Information EMERGENCY RESPATOR-888-4666 24HR. 7-092-01-4/31 IF UNDELIVERABLE, RETURN TO GENERATOR SKOOTE A: 501 B: C: D:										Date			
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.										Date			
Printed/Typed Name David A. Blackburn				Signature David A. Blackburn				Month Day Year 7 23 93					
17. Transporter 1 Acknowledgement of Receipt of Materials										Date			
Printed/Typed Name David A. Blackburn				Signature David A. Blackburn				Month Day Year 7 23 93					
18. Transporter 2 Acknowledgement of Receipt of Materials										Date			
Printed/Typed Name				Signature				Month Day Year					
19. Discrepancy Indication Space													
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.										Date			
Printed/Typed Name				Signature				Month Day Year					

EPA Form 8700-22 (Rev. 9-88) previous editions obsolete

SAFETY-KLEEN CORP.

90290

6

GENERATOR COPY

AKC-0018345

INSTRUCTIONS FOR COMPLETION OF THIS FORM; REFER CODE OF FEDERAL REGULATIONS, 40, PART 262.20.



## NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP.  
(DESIGNATED FACILITY)EPA ID NO. WAD000712042  
(DESIGNATED FACILITY)ADDRESS: 6303 212th St. S.W. #B Lynnwood, WA 98036

Under manifest number 85147, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE CHECK THE APPROPRIATE BOXES	WASTE NAME	EPA* WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
	<input type="checkbox"/> Waste Petroleum Naphtha (105)	D001, D018, D039,	Ignitable Liquid (High TOC subcategory) Halogenated Organic Compounds (HOC's) $\geq$ 1000 mg/l Benzene Tetrachloroethylene	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water) INCIN (40 CFR 268.42) (non-waste water) Not Established Not Established
	<input checked="" type="checkbox"/> Waste Petroleum Naphtha (140)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
	<input type="checkbox"/> Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001, D006, D007, D008, D039,	All of the above, plus: — Cadmium — Chromium — Lead — Tetrachloroethylene	1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established
	<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion cleaner 699	D006, D007, D008, D018, D021, D027, D039, D040,	HOC's $\geq$ 1000 mg/l — Cadmium — Chromium — Lead — Benzene — Chlorobenzene — 1, 4-Dichlorobenzene — Tetrachloroethylene — Trichloroethylene	INCIN (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established Not Established Not Established Not Established
	<input type="checkbox"/> Waste Perchloroethylene	F002,	Tetrachloroethylene	5.6 (non-waste water)
	<input type="checkbox"/> Waste Perc. Filters This hazardous debris is subject to the alternative treatment standards of 40CFR 268.45.	F002,	Tetrachloroethylene	5.6 (non-waste water)
	<input type="checkbox"/> Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	28.0 (non-waste water)
	<input type="checkbox"/> Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	5.6 (non-waste water)
	<input type="checkbox"/> Waste Petroleum Naphtha (Dry Cleaning)	D001, D039,	Ignitable Liquid (High TOC Subcategory) Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) Not Established
	<input type="checkbox"/> Waste Paint Related Material	F003, F005, F003, F005, F003, F003, D001, D006, D007, D008,	Acetone Methyl Ethyl Ketone Methyl Isobutyl Ketone Toluene Xylene Methanol Ignitable Liquid (High TOC Subcategory) Cadmium Chromium Lead (TOC Subcategory)	160.0 (non-waste water) 36.0 (non-waste water) 33.0 (non-waste water) 28.0 (non-waste water) 28.0 (non-waste water) 0.75 (non-waste water) INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water)
	<input type="checkbox"/> Waste Antifreeze	D008, D039,	Lead Tetrachloroethylene	5.0 (non-waste water) Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

\* These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: ALASKAN COPPER WORKSEPA ID NO.: WAD980738546

Generator's Signature

Date: 9-23-93Printed Name and Title of Generator: Gerald A. ThompsonEnviro. Asst.

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.